City of Columbus RFQ027488 Department of Public Service/Division of Infrastructure Management F550 Trucks Upfitting BIDDER GUIDE

The following information is provided by the City of Columbus to assist you in navigating the formal bid procedures. This information is not to supersede or replace any of the actual bid specifications or requirements; its sole purpose is to provide information on the process. If you have any questions regarding the process, please contact the appropriate City of Columbus representative listed on the bid solicitation (for specification questions see instructions below).

Any addenda issued by the City of Columbus will be posted on this site. The City of Columbus will send notification of addenda to Bidders that have an active login id and password with Columbus Vendor Services and are registered for the commodity code(s) associated with this solicitation.

Though the notification methods above will be utilized to notify bidders of addenda it is ultimately the Bidder's responsibility to check this site for verification of any issued addenda.

IN ORDER FOR YOUR BID TO BE CONSIDERED:
X Pricing is to be entered into the corresponding lines in the body of the RFQ
AND
The following documents must be completed and attached to your response. Complete this checklist to confirm the items required in your bid. Failure to submit the listed documents may be cause for rejection of your bid:
Completed Product Bid details (pages 7 – 16 of detailed specifications)
Reference Pages
Subcontractor Information
Experience Documentation
Literature
Warranty
Please refer to the Vendor Services User Guide for guidance using the Attachment feature to attach references,

PLEASE NOTE - ALL ATTACHMENTS MUST BE IN PDF FORMAT TO ATTACH.

literature, warranty information and any other documentation as needed.

PLEASE NOTE – <u>ALL</u> AWARDED VENDORS MUST BE REGISTERED TO DO BUSINESS IN THE STATE OF OHIO WITH THE OHIO SECRETARY OF STATE: <u>HTTPS://WWW.OHIOSOS.GOV/BUSINESSES</u>



Bid Discount / Proposal Incentive Request Form

This Bid Discount/Proposal Incentive Request Form must be included with the bid and proposal and submitted no later than the bid or proposal due date. Please complete the sections that apply.

The Minority Business Enterprise (MBE) and Woman-Owned Business Enterprise (WBE) Programs provide a bid discount and proposal incentive points to eligible businesses seeking to bid on City of Columbus contracts as prime contractors/prime consultants. To be eligible for either the bid discount or the proposal incentive credits, the prime contractor must be certified with the Office of Diversity and Inclusion in the necessary work classification at the time the submittal is due.

The Proposal Incentive points apply to professional service solicitations/contracts. For these contracts, the prime contractor's ethnicity and gender are part of the evaluation criteria. A prime contractor that is a minority-owned or a woman-owned business certified with the Office of Diversity and Inclusion in the relevant field of work is assigned 5 percentage points during the evaluation process. The Proposal Incentive points are used in scoring the proposals and ranking the submittals.

The Bid Discount applies to construction and goods and services contracts when the award is based on low bid, and the prime contractor is a minority or woman-owned business or a minority or woman-owned joint venture certified with the Office of Diversity and Inclusion in the relevant work classification. The Bid Discount is 5% for construction and goods and services bids, not to exceed \$50,000 on a single bid. The Bid Discount allows an original bid amount to be discounted by 5% for purposes of evaluating and determining the lowest responsive bid. The original bid amount is the basis for the contract award. For example, a \$100,000 bid with a 5% Bid Discount is evaluated at \$95,000. However, \$100,000 would be paid if the bidder eligible for the discount was the successful bidder.

For additional information about the Minority and Woman-Owned Business Enterprise Program, please visit the Office of Diversity and Inclusion's website.

(Please Attach Copy of Current MBE/WBE Certification Approval Letter)

CERTIFICATION OF AFFIDAVIT			
The information provided is true and complete to the best of my knowledge and belief. I further understand and			
agree that this certification shall become a part of my contract with the Columbus of Columbus			
Bid Name:	Bid Number:	Bid Opening Date:	
Contracting Department:	Bid/Project Manager Name (as listed in bid de	ocuments):	
Contified Discon Contracts of Contracts	District description of the couple of the co	During an Name	
Certified Prime Contractor/Consultant	Printed name of the authorized signatory:	Business Name:	
Authorized Signature & Date:			
X	X		
Office of Divers	sity and Inclusion Staff Authorized Signature On	ly	
Office of Diversity and Inclusion Official	Date:		
Authorized Designee Signature:		Approved Not Approved	
X			



EQUAL OPPORTUNITY CLAUSE

- (1) The contractor/vendor/bidder will not discriminate against any employee or applicant for employment because of race, sex, sexual orientation, gender identity or expression, color, religion, ancestry, national origin, age, disability, familial status or military status. The contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment without regard to their race, sex, sexual orientation, gender identity or expression, color, religion, ancestry, national origin, age, disability, familial status or military status. Such action shall include, but not be limited to, the following: employment up-grading, demotion, or termination; rates of pay or other forms of compensation; and selection for training. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices summarizing the provisions of this Equal Opportunity Clause.
- (2) The contractor will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that the contractor is an equal opportunity employer.
- (3) It is the policy of the City of Columbus that business concerns owned and operated by M/WBEs shall have the maximum practicable opportunity to participate in the performance of contracts awarded by the city.
- (4) The contractor shall permit access to any relevant and pertinent reports and documents by the ODI director for the sole purpose of verifying compliance with this Title and ODI regulations. All such materials provided to the ODI director by the contractor shall be considered confidential.
- (5) The contractor will not obstruct or hinder the ODI director or his/her deputies, staff and assistants in the fulfillment of the duties and responsibilities imposed by Title 39 of the Columbus City Codes.
- (6) The contractor and each subcontractor will include a summary of this Equal Opportunity Clause in every subcontract. The contractor will take such action with respect to any subcontractor as is necessary as a means of enforcing the provisions of the Equal Opportunity Clause.
- (7) The contractor agrees to refrain from subcontracting any part of this contract or contract modification thereto to a contractor not holding a valid certification number as provided for in Title 39.
- (8) Failure or refusal of a contractor or subcontractor to comply with the provisions of Title 39 may result in cancellation of this contract.

ALL CONTRACTORS MUST HOLD A VALID CONTRACT COMPLIANCE CERTIFICATION NUMBER ISSUED BY THE OFFICE OF DIVERSITY AND INCLUSION.

To obtain a Contract Compliance number register at the City of Columbus Vendor Services website: http://vendors.columbus.gov/sites/public

- 1. Login to the City of Columbus Vendor Services Site and register with the city of Columbus. Once that is completed and approved by the purchasing office, log back in and do the following:
- 2. Select Questionnaires from the Common menu located on the left navigation bar.
- 3. Next select EBO Quest. (this is the contract compliance application)
- 4. Question 1 will be displayed; Answer question 1 and select **Forward**.
- 5. Proceed through the questionnaire answering each question and selecting **Forward** to continue. Once you have reached and answered the last question select **End** to submit.
- 6. Then the questionnaire will be received by the ODI Office, reviewed and process within 2 business days or less. For additional questions regarding this process, contact the Office of Diversity Inclusion at 614-645-4764.

City of Columbus Home Page: www.columbus.gov

INFORMATION FOR BIDDERS

SPECIAL CONDITIONS

Special conditions included in the specifications, if inconsistent with provisions included in "Information for Bidders", shall take precedence over any provisions in "Information for Bidders" to the extent inconsistent.

SUBMISSION OF PROPOSAL

Responses must be entered and submitted electronically in the body of the RFQ. Some RFQs require pricing lists or additional documents to be attached to the RFQ response electronically. In rare instances documents require submission via regular mail delivery. Refer to the "Proposal Information" section of the specifications for instructions for submission. Any unauthorized conditions, limitations or provisions attached to the proposal may render the bid nonresponsive and result in its rejection.

ACCEPTANCE AND REJECTION

This proposal submitted by the bidder to the City of Columbus will be accepted or rejected within a period of 180 days from bid opening date. The City reserves the right to waive technicalities, and to request a rebid on the required material. If more than one item, prices shall be quoted on the units requested. However, each item shall be considered a separate bid and the City reserves the right to award a contract on each item separately or on all items as a whole or any combination thereof. Bidders whose proposal is made on an "All or None" basis must clearly state such fact in the proposals.

Each RFQ issued by the City shall state that the RFQ may be cancelled and that any RFQ response may be rejected in whole or in part when it is for good cause and in the best interests of the City.

WITHDRAWAL OF PROPOSALS

Bidders may withdraw their RFQ response at any time prior to the time specified in the advertisement as the closing time for the receipt of bids. However, no bidder shall withdraw or cancel his response for a period of 180 calendar days after said advertised closing time for the receipt of proposals.

DEFAULT PROVISION

In case of default by the bidder or the contractor, the City of Columbus may terminate and may procure the articles or services from other sources and hold the bidder or contractor responsible for any excess costs occasioned or incurred thereby.

SIGNATURE REQUIRED

By submitting this response electronically, bidder/proposer is affixing an electronic signature as defined by the Ohio Uniform Transactions Act. Said signature represents that he/she has the authority to bind the entity to the terms and conditions contained herein.

APPLICABLE LAWS

The Revised Code of the State of Ohio, the Charter of the City of Columbus, and all City ordinances insofar as they apply to the laws of competitive bidding, contracts, and purchases, and wage theft prevention, are made a part hereof.

PRICING

Bidders are to quote firm or fixed prices for the duration of any contract which may be a result of this proposal unless otherwise noted in the specifications. In case of discrepancy in computing the amount of the bid, the **UNIT PRICE** quoted will govern.

Quotations are requested F.O.B. destination. If quoted F.O.B. Shipping Point include freight estimate and full value insurance cost.

CONTRACT AND BOND

The bidder to whom an award is made will be required to execute a written contract with the City of Columbus, Ohio within ten days after receiving such contract for execution, and if specified in the legal notice, furnish a good and approved bond conditioned upon the faithful performance of the same. The proposal, contract, proposal bond, (if applicable), and performance bond (if applicable) shall be in the form herein specified.

If, at any time during the continuance of the Contract, any surety shall, in the opinion of the Finance & Management Director, become irresponsible, then said Director shall have the right to require additional and sufficient surety or sureties. The Contractor shall furnish the surety

or sureties to the satisfaction of the said Director, within ten (10) days after notice. In default thereof the default provision herein shall apply.

LIABILITY, INSURANCE, LICENSES AND PERMITS

Where bidders are required to enter or go onto City of Columbus property to deliver materials or perform work or services as a result of bid award, the bidder will assume full duty, obligation and expense of obtaining all necessary licenses, permits, and insurance when required. The bidder shall be liable for any damages or loss to the City occasioned by negligence of the bidder (or his agent) or any person the bidder has designated in the completion of his contract as a result of his bid.

Particular attention is directed to the statutory requirements of the State of Ohio relative to the licensing of corporation organized under the Laws of any other State.

TAXES

Federal and/or State Taxes are not to be included in prices quoted. The successful bidder will be furnished an exemption certificate if needed.

SAMPLES

Samples, when requested, must be furnished free of expense to the City and if not destroyed, will upon request be returned at the bidder's expense.

DELIVERY

Time will be of the essence for any orders placed as a result of this bid. Purchaser reserves the right to cancel such orders or any part thereof, without obligations if delivery is not made within the time(s) specified. Delivery shall be made during normal working hours and to the destination shown on the proposal.

QUALITY

Unless otherwise stated by the bidder, the RFQ response will be considered as being in strict accordance with the specifications outlined in the Bid Document.

References to a particular trade, manufacturer's catalog or model number are made for descriptive purposes to guide the bidder in interpreting the requirements of the City. They should not be construed as excluding proposals on other types of materials, equipment and supplies. However, the bidder, if awarded the contract, will be required to furnish the particular item referred to in the specifications or description unless a departure or substitution is clearly noted and described in the proposal.

CHANGES AND ADDENDA TO BID DOCUMENTS

Each change or addenda issued in relation to this bid document will be published on the City's Vendor Services website no less than five (5) working days prior to the scheduled bid opening date. In addition, to the extent possible, notice will be e-mailed to each person registered as having interest in the commodities selected for this bid. Total bid inquiry or specific item cancellations may be issued later than that time specified above.

WITHHOLDING OF INCOME TAX

All bidders are advised that in order for a contract to bind the City, each contract must contain the provisions found in Chapter 362 C.C.C. with regard to income taxes due or payable to the City of Columbus for wages, salaries and commissions paid to the contractor's employees as well as requiring those contractors to ensure that subcontractors withhold in a like manner.

CAMPAIGN CONTRIBUTIONS

Contractor hereby certifies the following: that it is familiar with Ohio Revised Code ("O.R.C.") Section 3517.13; that all applicable parties listed in Subsection (I) or (J) of O.R.C. Section 3517.13 are in full compliance with Subsection (I) and (J) of that Section; that it is eligible for this contract under the law and will remain in compliance with O.R.C. Section 3517.13 for the duration of this contract and for one year thereafter.

PUBLIC RECORDS REQUESTS

The City of Columbus, as a political subdivision of the State of Ohio, is subject to Ohio Revised Code Chapter 149, known as the Ohio Public Records Law. Consequently, the Offeror understands that ALL documents submitted in response to this solicitation are considered public records and WILL be released when a public records request is

INFORMATION FOR BIDDERS

made by news media, competitors, or other interested parties, in accordance with the law. If you contend that certain CLEARLY MARKED portions of your response constitute an exception to Ohio's public records law, you MUST submit your legal basis in support of that assertion with your response.

If a public records request is made for any portion of the documents that you have submitted and you have NOT clearly marked such documents as information constituting an exception to Ohio's public records law, your information will be released immediately.

If a public records request is made for such information and you HAVE clearly marked portions of your response as information constituting an exception to Ohio's public records law, AND you have submitted the legal basis supporting such claim, the City will release a redacted version of your information to the requestor and notify you that a request was made and that a redacted version of your response was released. Should the requestor indicate that the redacted version is not sufficient for their purposes, you then will be IMMEDIATELY responsible for obtaining an order from a Court of competent jurisdiction in Franklin County, Ohio enjoining release of your clearly marked information constituting an exception to Ohio's public records law.

If a public records request is made for such information and you HAVE clearly marked portions of your response as information constituting an exception to Ohio's public records law, but you have NOT submitted the legal basis supporting such claim, the City WILL RELEASE your information to the requestor and notify you that a request was made and that your response was released.

DO NOT mark your entire response/submittal as information constituting an exception to Ohio's public records law. If your entire response/submittal is so marked, the City of Columbus will not consider your offer.

INFORMATION FOR BIDDERS (Continued)

IN THE EVENT OF A CONTRACT

- Where applicable according to the specifications successful seller shall transfer and deliver to City goods which conform to the specifications
- The City shall accept from seller goods that conform to the specifications, and shall pay for the goods in accordance with the terms of an agreement, which may result from this proposal.
- The risk of loss from any causality to the goods regardless of the cause of the casualty shall be on seller until the goods have been delivered at the address designated in the order and are approved after inspection by the City.
- 4. Seller warrants and represents that seller has absolute and good title to and full right to dispose of the goods, and that there are no liens, claims, or encumbrances of any kind against the goods, and at the time of delivery shall be free from any security interests or other lien or encumbrance.
- If there is a breach by seller of the warranty against encumbrances granted by seller in an agreement, which may result from this proposal, the City shall have the option to cancel an agreement, which may result from this proposal.
- Seller shall defend any action brought against the City so far as the action is based on a claim that the goods, or any part of the goods, furnished under an agreement which may result from this proposal constitutes an infringement of any patent of the United States or a trademark. Seller shall be notified promptly in writing of the action and be given authority, information, and assistance, at the expense of seller, for the defense of the action. Seller shall pay all damages and costs awarded in the action. In case the goods or a part thereof are held to constitute infringement and the use of the goods or part thereof is enjoined, seller shall, at the expense of the seller, either procure for the City the rights to continue using the goods, replace the goods or a part hereof with non-infringing goods of equal or better quality, modify the goods so that the goods become noninfringing while continuing to meet or exceed the original specifications, or retake the goods and refund the purchase prices and the transportation and installation costs of the goods at the option of the City.
- 7. Seller warrants that (1) the goods to be supplied pursuant to an agreement which result from this proposal are fit and sufficient for the purpose intended, (2) the goods are merchantable, of a good quality, and free from defects, whether patent or latent, in material or workmanship and (3) the goods sold to the City pursuant to an agreement which may result from this proposal conform to the specifications. The particular purpose of which the goods are required may be set forth in the specifications.
- 8. The benefit of any warranty made in an agreement which may result from this proposal by seller shall extend to the City and to the employees of the City, any employee of the City may bring an action directly against seller for damages or injuries sustained by the employee resulting from any breach of warranty by seller.
- 9. All goods ordered shall be subject to final inspection and approval at the facility of the City designated for delivery. Any goods, which do not conform to the order of the City, may be rejected by the City. The City may hold any goods rejected pending instructions from the seller or the City may return goods to seller at seller's expense.
- 10. If any tender or delivery by seller is rejected by the City for nonconformity, no notice of intention to cure can be effective unless it is received by the City agency within five (5) days after notice of rejection is sent to seller.
- 11. The liability of the City for either non-acceptance of conforming goods or repudiation of the agreement which might result from this proposal shall be limited to the difference between the market price at the time and place for tender of the goods and the unpaid sales price together with any incidental damages, but less expenses paid in consequence of the breach by the City.
- 12. An agreement which may result from this proposal shall not be modified or altered by any subsequent course of performance between parties or by additional terms contained in any subsequent documents unless said additional or differing terms are incorporated by contract modification authorized to be entered into by ordinance.
- 13. Contractor shall protect, indemnify and save the City harmless from and against any damage, cost, or liability, including reasonable attorneys' fees, resulting from claims for any or all injuries to persons or damage to property arising from intentional,

- willful or negligent acts or omissions of Contractor, its officers, employees, agents, or Subcontractors.
- The City will not indemnify the contractor and is prohibited from doing so.
- 15. This Contract may not be assigned or otherwise transferred to others by the Contractor without the prior written consent of the City. If this Contract is so assigned, it shall inure to the benefit of and be binding upon any respective successors and assigns (including successive, as well as immediate, successors and assignees) of the Contractor.
- 16. The signatories to this Contract represent that they have the authority to bind themselves and their respective organizations to this Contract.
- 17. In the event either party is unable to perform its obligations under the terms of this Agreement because of acts of God, strikes, equipment or transmission failure or damage reasonably beyond its control, epidemics, pandemics, or other causes reasonably beyond its control, such party shall not be liable for damages to the other for any damages resulting from such failure to perform or otherwise from such causes.

LOCAL CREDIT

Pursuant to City of Columbus Ordinance # 2607-2012, in determining the lowest bid for a contract the local bidder credit will not be applied.

WAGE THEFT PREVENTION

Chapter 377 of the Columbus City Codes is hereby incorporated into the contract and seller is required to comply with said chapter. This includes, but is not limited to reporting requirements and the obligation to review the commission list of contractors and subcontractors that received an adverse determination. Penalties for failure to comply with the wage theft prevention code include suspension for three years, up to permanent disbarment.

CERTIFICATE OF TITLE ON EQUIPMENT

If applicable to this purchase, all documents required to obtain a State of Ohio Certificate of Title **must** be delivered to:

Fleet Management Administrator City of Columbus/Fleet Management Div. 4211 Groves Road Columbus, Ohio 43232

After signature by the Fleet Management Administrator, an original title is to be delivered to the above address within three (3) days. No payment for vehicles requiring a title will be authorized by the Fleet Management Administrator until a valid title is received.

REMEDIES

All claims, counterclaims, disputes and other matters in question between the City, its agents and employees, and the Contractor arising out of or relating to this agreement or its breach will be decided in a court of competent jurisdiction within the County of Franklin, State of Ohio.

OFFERORS TERMS AND CONDITIONS

Terms and conditions, submitted with this proposal, which are contrary to City Code or Charter shall be disregarded for the purpose of any subsequent contract. The successful bidder shall be notified as to which terms and conditions, if any, have been deleted.

PUBLICATIONS

The Contractor agrees to submit to the City's Contract Administrator all advertising, sales promotion, and other publicity matters relating to this Contract wherein the City's name is mentioned or language used from which the connection of the City's name therewith may, in the City's judgment, be inferred or implied. The Contractor further agrees not to publish, or use such advertising, sales promotion, or publicity matter without the prior written consent of the City except that may be required under law

1.0 SCOPE AND CLASSIFICATION

- 1.1 **Scope:** It is the intent of the City of Columbus, Division of Infrastructure Management to obtain formal bids to establish a contract for installation of five (5) 9 ft. municipal combination dump bodies with snow & ice removal equipment that will be up-fitted on purchased Diesel F550 Cab and Chassis trucks. The installation cost will include all related components (wiring/hydraulics, etc.). The trucks will need to be picked up and delivered from the City of Columbus Fleet facility. Upon delivery back to the City, trucks shall have fully operational dump bodies with snow & ice removal equipment.
- 1.2 Classification: The contract resulting from this bid proposal will provide pick-up and delivery of the Diesel F550 Cab & Chassis trucks from the City of Columbus for the installation of five (5) 9 ft. municipal combination dump bodies with snow & ice removal equipment. The installation cost will include all related components (wiring/hydraulics, etc.). Bidders are required to show experience in providing these types of equipment and warranty service as detailed in these specifications.
- 1.2.1 **Bidder Experience:** Offeror must submit an outline of its experience and work history in these types of equipment and warranty service for the past five years.
- 1.2.2 **Bidder References:** Offeror shall have documented proven successful contracts from at least four customers that the offeror supports that are similar in scope, complexity, and cost to the requirements of this specification.
- 1.3 **Specification Questions:** Questions regarding this bid must be submitted on the Vendor Services portal by 11:00 am Monday, April 29, 2024. Responses will be posted on the RFQ on Vendor Services no later than Thursday, May 2, 2024, at 11:00 am.
- 1.4 For additional information concerning this bid, including procedures on how to submit a proposal, you must go to the City of Columbus Vendor Services web site at http://vendors.columbus.gov/sites/public and view this bid number.

2.0 APPLICABLE STANDARDS / PUBLICATIONS

- 2.1 Ohio Department of Transportation (O.D.O.T.) applicable guidelines and standards.
- 2.2 Must meet or exceed all City, State, Federal safety guidelines and standards.
- 2.3 All OSHA applicable guidelines and standards.
- 2.4 References to a particular trade or manufacturer's model number are made for descriptive purposes to guide the bidder in interpreting the requirements of the City. They should not be construed as excluding proposals on other types of materials, equipment and supplies.

3.0 **REQUIREMENTS**

- 3.1 **General Information**:
- 3.1.1 **Term:** The contract awarded as a result of this proposal is for a one-time purchase.
- 3.1.2 **Pricing:** Bidders are to bid firm or fixed prices, FOB Destination, Freight Prepaid and Allowed. All pricing must include manufacturer warranty. All manufacturer warranties will be passed on to the City of Columbus.
- 3.1.3 **Quantity:** Parts and Installation of five (5) 9 ft. municipal combination dump bodies with snow & ice removal equipment. The installation cost will include all related components (wiring/control module/cab command controls/hydraulics and etc.).
- 3.1.4 **Quality Standard:** The City intends to purchase new, unused, and the manufacturer's most current production model. The specifications describe a minimum acceptable requirement which a bidder has to meet. However, the bidder is allowed to exceed a minimum requirement where the excess enhances the function of the unit and which the City can accept. It is not acceptable for a bidder to exceed a maximum desired limit.
- 3.2 **Bidder Requirements:** The City will use the requirements of this section to determine if each bidder meets the minimum standards to be considered a responsible bidder. **Please print, complete and attach** Reference pages and attach any supplemental pages as may be necessary to meet these requirements. **For instructions on how to attach a document to your bid, please refer to the Vendor Services User Guide.**
- 3.2.1 **Experience Required:** Documentation shall include (at a minimum) information meeting the following criteria.
- 3.2.1.1 **Equipment and Warranty Capabilities:** Offerors must document, and submit in a letter attached to the bid, their capability of providing the equipment and warranty service specified herein.
- 3.2.1.2 **Manufacturer Relationship:** The offeror shall provide the history of their relationship with manufacturer(s) that will potentially be providing these types of equipment/parts and warranty service for the past five years, including but not limited to the following:
 - a) Length of the relationship
 - b) Level of the relationship
 - c) A brief history of the relationship

3.2.2	References: The offeror shall have documented proven successful contracts from at least four customers that the offeror supports that are similar in scope, complexity, and cost to the requirements of this specification.
3.2.2.1	Contact Information Required: The reference contact information shall include the customer name, customer e-mail address, street address, telephone number, fax number, contact name and equipment purchase date.
3.2.2.2	Equipment / Warranty Service Information: A description of the equipment/parts provided and type of warranty service that was provided.
3.2.3	Subcontractor Information Required: If subcontractor(s) are to be used, please list names, addresses, telephone numbers and a contact person for each subcontractor. All subcontracts must have valid contract compliance certification.
3.2.3.1	Subcontractor Contact: Should the offeror use subcontractors, the City shall use the offeror as the primary contact point.
3.2.4	Specification Questions: Questions regarding this bid including any exceptions and/or suggested changes to the requirements must be submitted on the vendor services portal by 11:00 am (local time) on Monday, April 29, 2024. Responses and any necessary addenda will be posted as an amendment to this RFQ on the City's Vendor Services portal no later than 4:00 p.m. (local time) on Thursday, May 2, 2024. The City strongly encourages bidders to submit exceptions and/or changes during this stage of the process. Bidders submitting exceptions and/or changes before this date will greatly reduce the likelihood of their bid being rejected as non-responsive to the specifications. Bidders whom have not registered and created a new user on the City's portal http://vendors.columbus.gov/sites/public are strongly encouraged to do so. Notice of any pre-bid notes and addenda will only be sent to Bidders whom have registered at the site.
3.2.4.1	For further instructions on how to submit "Vendor Questions" through the Vendor Portal, please see Section "Add Vendor Questions" provided in the City of Columbus Vendor Services User Guide.
3.2.4.2	The City has instructional videos to assist bidders at the portal. Tutorial videos are available to be viewed through You Tube or by clicking the following link:
	https://www.youtube.com/channel/UCTIkkGNM7GHIITzoqQVNJIA/videos ?shelf_id=0&view=0&sort=dd

3.2.5 **Pre-Build Meeting:** Shall have a pre-build meeting with the successful bidder at the Division of Infrastructure Management - Street Maintenance Section, 1881 E. 25th Ave Columbus, OH 43219.

SECTION NUMBER	SPECIFICATION DESCRIPTION	DESCRIBE ACTUAL PRODUCT BID
3.3	Specification Requirements:	
3.3.1	The purpose of these specifications is to defive (5) 9 ft. municipal combination dump be removal equipment. The installation cost we components (wiring/control module/cab coetc.), in accordance with the enclosed term specifications. All parts not specifically menecessary to provide a complete unit, or nestandard equipment shall be furnished. The strength, quality of material and workmans provided in the industry.	podies with snow & ice will include all related command controls/hydraulics, ns, conditions and ntioned, which are cormally furnished as the parts shall conform in ship to what is normally
3.3.1.1	Equipment will be installed on five (5) city-the following specifications:	
3.3.1.1.1	Five (5) 2023 Ford Diesel F550 Cab & Ch	assis
3.3.1.1.2	Drive: 4-Wheel Drive	
3.3.1.1.3	Transmission: 10-Speed Automatic	
3.3.1.1.4	Engine: 6.7L V8 Diesel	
3.3.1.1.5	Wheelbase: 179" & CA: 60"	
3.3.1.1.6	Trim: XL	
3.3.2	Municipal Combinati	on Dump Body
3.3.2.1	Model 933 Series 9' MDS Stainless Steel Combination Body or approved equal.	
3.3.2.2	Hopper Maximum 9' long x 84" wide, with 18" cab shield and 31" sides.	
3.3.2.3	Maximum 4 cubic yards.	
3.3.2.4	Shall have 10-gauge 304 stainless steel sides.	
3.3.2.4.1	Sides shall be boxed and fully welded.	
3.3.2.4.2	Top rail shall be sloped for dirt shedding.	
3.3.2.5	Corner post shall be 10-gauge 304 stainless steel, running full depth from the top of the gate to the bottom of the longitudinal and be full welded.	
3.3.2.6	Tailgate shall be constructed of 10-gauge 304 stainless steel.	
3.3.2.6.1	Shall have a center adjustable feed gate with lever control.	

SECTION NUMBER	SPECIFICATION DESCRIPTION	DESCRIBE ACTUAL PRODUCT BID
3.3.2.6.2	Shall have minimum four (4) vertical gussets 3" wide, 2" deep and full welded.	
3.3.2.6.3	Bottom horizontal rail shall be sloped 45 degrees.	
3.3.2.7	Gate latch shall be of ½" stainless steel and have 1" pin.	
3.3.2.7.1	Shall have threaded rod adjustments and have two (2) yokes with 5/8" pins.	
3.3.2.7.2	Gate latch shall have twin electric actuators with controls in located in the cab.	
3.3.2.8	Shall have a single bar flight chain conveyor in the center of the floor running the entire length of the body.	
3.3.2.8.1	Shall have a removable cover plate over the chain links.	
3.3.2.8.2	Cover plate shall be constructed of 10-gauge 304 stainless steel.	
3.3.2.8.2.1	Cover plate shall slide into position over the conveyor and then be bolted in place at the rear of the body.	
3.3.2.8.3	Floor shall be supported by formed 10- gauge 304 stainless steel long sills that span the entire length of the body.	
3.3.2.8.4	Shall have 10-gauge stainless steel formed channel crossmembers interlaced into the long sills.	
3.3.2.9	Body shall have no more than a 12" deep by 12" wide lift cylinder doghouse.	
3.3.2.9.1	Shall be mounted with no more than 5" between the cab and the front body panel.	
3.3.3	Convey	ver
3.3.3.1	Conveyor shall end flush with the rear of the body and shall not extend past the tailgate of the unit.	
3.3.3.2	The conveyor shall be powered by 20:1 ratio spur gearboxes mounted to 1 side of the 1" drive shaft.	
3.3.3.3	The gearbox(s) shall be powered by a 4 CI hydraulic motor or approved equal.	
3.3.3.4	Shall have 10-gauge 304 stainless steel.	
3.3.3.5	Shall have 12-gauge 304 stainless steel side.	

SECTION	SPECIFICATION DESCRIPTION	DESCRIBE ACTUAL PRODUCT
NUMBER		BID
3.3.3.6	Shall have 1/4" gauge A1011 steel floor.	
3.3.3.7	Shall have a heavy duty 10-gauge 304 stainless steel, double acting tailgate with boxed type vertical and horizontal bracing, spreader chains, offset type hardware built into the rear corner posts of the dump body.	
3.3.3.8	Shall have continuous welding throughout the body full depth rear corner posts.	
3.3.3.9	Shall have full width rear bolster dirt shedding side rails.	
3.3.4	Telescopic	Hoist
3.3.4.1	The hoist shall be of telescopic design, double acting and have a trunnion mounting. The trunnion mount shall have a 1.88" pin or approved equal.	
3.3.4.2	Shall be designed to operate up to 2000 PSI and shall be self-bleeding.	
3.3.4.3	Shall have 1/4" wall construction with bronze glands and pistons to assure a smooth and durable bearing surface.	
3.3.4.4	Each cylinder shall be internally sealed. The inside seals shall have a U-cup design made of nitral packing.	
3.3.4.5	The piston rod shall be machined from ASI 4140 and nitrated using the QPQ method to establish the following mechanical properties:	
3.3.4.5.1	Surface Hardness: Rockwell C60-C65.	
3.3.4.5.2	Surface Finish: RMS 20 (using ASTM B117 salt spray). Approximately 7% surface area corrosion in 88 hours (or 10 times better than hard chrome plating).	
3.3.4.5.3	Fatigue Strength: Approximately 80% to 100% increase using QPQ as compared untreated sample.	
3.3.4.6	Minimum 24,000 lbs. lifting capacity.	
3.3.4.7	Body raised warning light.	

SECTION NUMBER	SPECIFICATION DESCRIPTION	DESCRIBE ACTUAL PRODUCT BID
3.3.5	Dump Body Othe	r Equipment
3.3.5.1	1/4" cab shield built into the front tapered bulkhead of the dump body.	
3.3.5.2	Sliding patch gate in the center of the tailgate-lever control.	
3.3.5.3	Stainless steel fold out step and grab handle on the left front corner of the dump body.	
3.3.5.4	Two (2) stainless steel shovel holders on the dump body, one on each side.	
3.3.5.5	One set of Fleet Engineers poly fenders over the rear wheels and mounted to the frame of the chassis.	
3.3.5.6	Rubber mud flaps behind the rear wheels.	
3.3.5.7	Rustproofing of the chassis and dump body.	
3.3.5.8	One (1) Whelen Model P36SLCHG rubber cased spreader light on the left rear corner of the dump body; switch in the chassis cab.	
3.3.5.9	Two (2) Whelen Model P36SLCHG rubber cased backup lights mounted on the rear of the chassis.	
3.3.5.10	Dump Body shall have FMVSS 108 LED rubber mounted stop, tail and turn signal lights recessed in each rear corner post of the dump body, the three-bar light cluster shall be rubber mounted in the rear apron.	
3.3.5.11	Relocate chassis tail lights.	
3.3.5.12	Electric backup alarm.	
3.3.5.13	Custom built rear hitch assembly incorporated into and welded into the rear of the chassis frame.	
3.3.5.14	2" receiver tube welded into the hitch.	
3.3.5.15	Two (2) B-40 5/8" safety chain "D" rings welded to the rear hitch plate.	
3.3.5.16	7 Round Pin wire trailer light plug mounted in the rear hitch plate.	
3.3.5.17	9' x 2" x 6" oak side boards on each side of the dump body.	

SECTION NUMBER	SPECIFICATION DESCRIPTION	DESCRIBE ACTUAL PRODUCT BID
3.3.5.18	Dump Body shall be properly outlined	
	with D.O.T. conspicuity reflective tape.	
3.3.5.19	Wiring shall be in water proof harness	
	with heat shrink seal connections.	
3.3.6	Central Hydrau	lic System
3.3.6.1	Force America ONE system or approved equal.	
3.3.6.2	The pump shall be a gear type that is	
3.3.0.2	direct mounted to a hot shift PTO.	
3.3.6.3	The pump shall have a minimum flow rate of 10.6 GPM at 1200 RPM.	
3.3.6.4	The PTO shall be engaged/disengaged	
	from the cab by a dash mounted on/off	
3.3.6.5	switch. The hydraulic control valve shall be an	
3.3.0.3	aluminum monoblock IHC type or	
	approved equal.	
3.3.6.6	The valve shall be rated a minimum of	
0.0.0.0	30 GPM and 3500 PSI.	
3.3.6.7	The valve shall operate a single or	
	double acting hoist, single acting plow	
	lift, double acting plow reverse,	
	auger/conveyor, spinner and liquid	
	prewet.	
3.3.6.8	The plow lift, hoist lower and hoist raise	
	functions shall have a manual override.	
3.3.6.9	The hydraulic control valve shall be	
	mounted in a combination	
0.0.0.40	reservoir/valve enclosure.	
3.3.6.10	The hydraulic reservoir shall be a	
	minimum 12 gallons, include a sight glass with thermometer.	
3.3.6.11	The reservoir/enclosure shall be	
3.3.0.11	constructed of 10-gauge 304 2B	
	stainless steel.	
3.3.6.12	Each hydraulic hose assembly shall be	
0.0.0.12	fitted with at least one JIC 37-degree	
	swivel fitting at each point of the hose	
	and component junction to allow for	
	easy removal of the component.	
3.3.6.13	All pressure lines shall be SAE 100R4	
	two wire braided rubber covered hose	
	with permanent crimped on fittings.	

SECTION NUMBER	SPECIFICATION DESCRIPTION	DESCRIBE ACTUAL PRODUCT BID
3.3.6.14	Suction line shall ne SAE 100R4 braided fiber spiral wire reinforced rubber covered hose with replaceable Bilton fittings.	
3.3.6.15	Hydraulic lines extending to the rear of the chassis for the operations of spinner and auger of the salt spreader.	
3.3.6.16	The salt spreader lines are to be mounted in the rear body post of the dump body with quick disconnects, caps, and plugs.	
3.3.6.17	The electronic spreader control shall include proportional controls for auger/conveyor, spinner, prewet functions.	
3.3.6.18	The spreader and prewet functions shall be operable in manual mode, open loop mode, and closed loop mode.	
3.3.6.19	The controller shall be mounted in the cab, location to be determined by an employee of Street Maintenance during pre-build meeting.	
3.3.6.20	Shall be mounted with a RAM mount allowing for easy installation and swivel capabilities.	
3.3.6.21	The spinner and spreader control knobs shall be color coded and correlated with the granular and spinner settings on the screen.	
3.3.6.22	The controller shall operate a straight blade snow plow and dump body.	
3.3.6.23	The controller shall be capable of moving the plow up, down, left, and right.	
3.3.6.24	Shall have a joystick console that offer both plow and hoist control via a single joystick.	
3.3.6.25	The joystick shall be dual axis non-proportional with a push button on top. In normal operation, the up/down and left/right axis shall control the front plow. While the push button on top is depressed, the up/down axis shall now operate the dump body and the left/right axis shall be dead.	

SECTION NUMBER	SPECIFICATION DESCRIPTION	DESCRIBE ACTUAL PRODUCT BID
3.3.6.26	The joystick box shall include three separate knobs to control the spreader rate, spinner speed and liquid prewet output rates. The knobs shall be color coded to match those on the actual spreader console.	
3.3.6.27	The controller shall include a minimum 3.5" high brightness, color, touch screen LCD with adjustable backlighting.	
3.3.6.28	The screen shall display warnings for oil level, oil temp, filter bypass, low granular material, low liquid material, granular and prewet feedback errors, and granular and feedback range errors.	
3.3.6.29	The controller shall have audible warnings that coincide with each visual warning and shall be individually adjustable.	
3.3.6.30	There shall also be a dedicated red LED on the face of the controller for an additional body up indicator.	
3.3.7	Snow PI	OW
3.3.7.1	Western 9' Road or approved equal.	
3.3.7.1	Western 9' Road or approved equal.	
3.3.7.1	Western 9' Road or approved equal. Minimum, Moldboard length: 9' Shall have a minimum 10-gauge steel	
3.3.7.1 3.3.7.2 3.3.7.3 3.3.7.4 3.3.7.5	Western 9' Road or approved equal. Minimum, Moldboard length: 9' Shall have a minimum 10-gauge steel moldboard. Double acting lift cylinder, power raise	
3.3.7.1 3.3.7.2 3.3.7.3 3.3.7.4	Western 9' Road or approved equal. Minimum, Moldboard length: 9' Shall have a minimum 10-gauge steel moldboard. Double acting lift cylinder, power raise and power lower. Minimum, six (6) vertical ribs and six (6)	
3.3.7.1 3.3.7.2 3.3.7.3 3.3.7.4 3.3.7.5	Western 9' Road or approved equal. Minimum, Moldboard length: 9' Shall have a minimum 10-gauge steel moldboard. Double acting lift cylinder, power raise and power lower. Minimum, six (6) vertical ribs and six (6) return shock absorbers.	
3.3.7.1 3.3.7.2 3.3.7.3 3.3.7.4 3.3.7.5 3.3.7.6	Western 9' Road or approved equal. Minimum, Moldboard length: 9' Shall have a minimum 10-gauge steel moldboard. Double acting lift cylinder, power raise and power lower. Minimum, six (6) vertical ribs and six (6) return shock absorbers. Blade type shall be bottom trip.	
3.3.7.1 3.3.7.2 3.3.7.3 3.3.7.4 3.3.7.5 3.3.7.6 3.3.7.7	Western 9' Road or approved equal. Minimum, Moldboard length: 9' Shall have a minimum 10-gauge steel moldboard. Double acting lift cylinder, power raise and power lower. Minimum, six (6) vertical ribs and six (6) return shock absorbers. Blade type shall be bottom trip. Cutting Edge: ½" x 6". Adjustable height disc shoes	
3.3.7.1 3.3.7.2 3.3.7.3 3.3.7.4 3.3.7.5 3.3.7.6 3.3.7.7	Western 9' Road or approved equal. Minimum, Moldboard length: 9' Shall have a minimum 10-gauge steel moldboard. Double acting lift cylinder, power raise and power lower. Minimum, six (6) vertical ribs and six (6) return shock absorbers. Blade type shall be bottom trip. Cutting Edge: ½" x 6". Adjustable height disc shoes assemblies.	

SECTION	SPECIFICATION DESCRIPTION	DESCRIBE ACTUAL PRODUCT
NUMBER	C	BID
3.3.7.12	Low profile LED dual beam snow plow	
	driving lights with built in parking and	
2 2 7 42	turn signal lamps.	
3.3.7.13	Vehicle headlights switch automatically	
	activated the snowplow driving lights in	
	lieu of the chassis head lights when the plow is mounted on the chassis, no	
	separate switch is needed.	
3.3.7.14		
3.3.7.14	Shall be hydraulic operated by the central hydraulic system on truck.	
3.3.8	Drive Assemb	ly Cover
3.3.8.1	Shall be bolted in position easily	
3.3.6.1	detached to allow for ease of	
	maintenance of rear drive assembly.	
3.3.8.2	Spinne	
3.3.8.2.1	18" polyurethane spinner assembly with	71
3.3.0.2.1	six vanes.	
3.3.8.2.2	There shall be 3 sides deflector made of	
	10-gauge 304 stainless steel.	
3.3.8.2.3	The disc shall be mounted to a 2"	
	receiver tube.	
3.3.8.2.4	The mounts will be adjustable up and	
	down for adjusting spread pattern.	
3.3.8.2.5	The spinner will be powered by a 4 Cl	
	hydraulic motor mounted under the	
	spinner disk or approved equal.	
3.3.9	Subfrar	ne ⊤
3.3.9.1	The body will be supplied with a steel	
	subframe with rear hinge welded to long	
2200	sills. The cradle for the Mailhot hoist will be	
3.3.9.2	welded onto the subframe.	
2 2 0 2		
3.3.9.3	A safety body prop will be installed in the subframe.	
3.3.10	Emergency I	ighting
3.3.10.1	Whelen Model R54L2B2A dot system	_ignung
0.0.10.1	mounted on each rear corner.	
3.3.10.2	Post of the dump body, each containing	
	one red LED combination tail, stop and	
	turn signal lamp, one amber LED flasher	
	light, and one TIR-3 super LED amber	
	light; each is encased in an eight (8)	
	gauge steel housing, Whelen sealed	
	wiring harness with switch in cab.	

SECTION	SPECIFICATION DESCRIPTION	DESCRIBE ACTUAL PRODUCT
NUMBER	Tive (2) 24 M/halan amhan LED limbte in	BID
3.3.10.3	Two (2) 2A Whelen amber LED lights in	
	eight (8) gauge steel housings, one	
	mounted on each side of the cab shield,	
0.0.40.4	facing to the rear with switch in cab.	
3.3.10.4	Two (2) Whelen Model L31HAF amber	
	LED beacons mounted on an aluminum	
	light bar on top of the chassis cab. Light	
0.0.40.5	bar is to be gutter mounted.	
3.3.10.5	Individual switches in the dash of the	
0.0.40.0	cab.	
3.3.10.6	Two (2) Whelen TIR-3 amber super LED	
	lights, two mounted on the front of the	
0.0.40.7	aluminum light bar.	
3.3.10.7	Whelen sealed wiring harness and water	
0.0.40.0	proof connections.	
3.3.10.8	Amber strobes installed in the headlights	
	of truck with switch in cab.	
3.3.11	Wiring	
3.3.11.1	All electrical wiring shall be color coded	
	and numbered with full length runs,	
	enclosed in a wire loom. Wires shall	
	terminate in a waterproof junction box	
0.0.44.0	mounted on or in the cab	
3.3.11.2	Tap-in type splices are unacceptable.	
3.3.12	Pre-wetting Liquid	spray system
3.3.12.1	All components are mounted in sealed,	
	corrosion resistant, molded poly housing	
	with a lockable style latch and a hinged	
	cover.	
3.3.12.2	All tubing is stainless steel with	
	corrosion resistant JIC fittings.	
3.3.12.3	Liquid output is controlled by an	
	adjustable flow control valve on the	
	hydraulic drive motor input.	
3.3.12.4	304 stainless steel brackets, hardware,	
	and fittings supplied.	
3.3.12.5	Two (2) 80-gallon rotation molded	
	medium density polyethylene tank with	
	5" diameter cap.	
3.3.12.6	Tank pans to be 304 stainless steel with	
	nylon mounting straps.	
3.3.12.7	Corrosion resistant shut off valves.	

SECTION NUMBER	SPECIFICATION DESCRIPTION	DESCRIBE ACTUAL PRODUCT BID
3.3.12.8	Variable displacement nozzle provides an extended range of material outputs located in spinner chute.	
3.3.12.9	Reservoir tank is angle formed to allow for mounting on the side of a V-box spreader.	
3.3.12.10	Supplied with bulk tank fill quick couplings. Internal baffle.	
3.3.12.11	On/off switch with power on indicator. High pressure (clog) & low pressure (tank empty) indicator lights with audible alarm. Heavy duty wiring harness from cab to pump. Weather and corrosion resistant sealed connectors with protective caps.	
3.3.12.12	Orifice to be 1/8" neoprene with hand twist cap for easy cleaning.	

4.0 <u>DEMONSTRATION AND INSPECTION</u>

- 4.1 **Demonstration:** The City reserves the right to require a demonstration of any equipment prior to award of the bid. Such demonstration shall be conducted, at the sole discretion of the City, either on roads in the City of Columbus, or in another municipal setting in Franklin County, Ohio where such equipment is in daily operation. All costs associated with such demonstration are to be the responsibility of the supplier. All demonstrations shall be concluded within five (5) working days after notification of demo request. Failure to comply may be used as a basis for rejection of the bid.
- 4.2 **Inspection:** All parts shall be thoroughly, physically inspected upon delivery by an authorized representative of the Division of Fleet Management and the Department of Public Service for verification of conformance to the specifications. Any damaged, defective, or substandard item shall be promptly removed by the supplier, and replaced at no cost to the City of Columbus. The supplier will be responsible for all shipping costs.
- 4.3 It shall be the successful bidder's responsibility to provide the City of Columbus, Fleet Management Division, the opportunity to inspect the unit prior to delivery to the body manufacturer to assure that the specifications have been met. Contact Jason Smith or designee at Fleet Management Division (614) 645-3784/ twenty-four (24) hours in advance for inspection.

5.0 ORDERING. DELIVERY. AND INVOICING

- 5.1 **Ordering Procedure:** A written purchase order will be established by the Director of Finance and Management. The Purchase Order will have the delivery information and invoice information.
- 5.2 **Delivery days after Order:** Bidder shall insert in the "Discount" tab of the bid the Lead Time expressed as the number of calendar days after receipt of order that delivery will be made. Vendors shall state actual delivery time in calendar days in the space provided under Delivery/Payment Terms. Delivery time may be a factor in determining award of bid. Failure to deliver in the days proposed may lead the City to consider the contract holder in partial or full breach of the contract. In the case of such breach, the City reserves the right to pursue all remedies and actions available under this contract and relevant law.

5.3 **Delivery:**

- 5.3.1 The successful bidder(s) assume the responsibility for the body-chassis coordination including, but not limited to, transportation and insurance for complete unit(s) while in transport and until final acceptance by the City of Columbus.
- 5.3.2 All vehicles must be delivered with all fluid levels at the manufacturer's recommended full capacity. All manufacturer's pre-delivery service and inspections should be completed prior to delivery to the City of Columbus. Written certification of the complete vehicle's actual tare weight shall be included when the vehicle is delivered.
- 5.3.3 The City of Columbus shall be notified no less than 24 hours prior to actual delivery by notifying Jason Smith (or designee,) at the Division of Fleet Management (614) 645-3784, twenty-four (24) hours in advance. Delivery shall be F.O.B. destination prepaid and allowed.
- 5.4 **Invoicing:** The invoice should show the City Purchase Order number, a brief description identifying the item, and the total amount. Invoice shall be mailed to the address on the Purchase Order.

6.0 <u>NOTES:</u>

Online Bidding Instructions: Bidders are requested to quote firm or fixed prices on the corresponding line item(s) only. Within the "Comment" section of each line bidders are requested to provide the make, model and manufactured year of the unit quoted. It is understood that all parts that may not be specifically mentioned must be included to make the unit operational and complete.

- Alternates: Bids will be considered on units complying with the specifications. All alternates must be detailed in an attached letter to bid. Explanations must fully state what is to be furnished. All alternates must meet or exceed specifications. The City of Columbus reserves the right to determine whether any proposed alternates are within the specifications.
- 6.1.1.1 **Attachments:** For instruction on attaching documents to online quotes, please see the "City of Columbus Vendor Services User Guide", made available through the Vendor Portal.
- 6.2 **Warranty:** The equipment specified herein shall be covered by the manufacturer's warranty at no additional charge. Bidders shall submit warranty on a separate sheet attached to the bid proposal.
- 6.2.1 **Warranty Period:** The warranty period shall be a minimum of 12 months at no additional charge. <u>Bidders shall submit copies of the warranty as an attachment with the bid proposal.</u>
- 6.2.2 **Delayed Warranty:** Bidder shall submit on a separate sheet attached to the bid a procedure for delayed warranty for starting dates to cover the interval between time of delivery of the complete vehicle and the actual date that the equipment is placed in service by the City. This delayed time period will cover inspection, operator and mechanic training, etc.
- Fully Franchised: The bidder shall contract with a warranty service provider whose primary business is the sale and/or repair of the equipment proposed in this bid proposal. Warranty service must be performed by a franchised OEM dealer that is authorized by the manufacturer(s) to perform warranty service. The warranty work shall be the responsibility of the successful bidder and the successful bidder shall coordinate all warranty work. Any defects shall be corrected and the equipment returned to the City within ten (10) days for written (mail, email or fax) notification of the service need. Any defects shall be corrected without cost to the City of Columbus. Under no circumstances shall the "out of operation" time of the equipment exceed ninety (90) days. Warranty work is not deemed complete until Fleet Management has accepted work as satisfactory.
- 6.2.4 Warranty Service Logistics: Cost of transport of equipment for warranty purposes shall be the responsibility of the successful bidder. The successful bidder will be required to pick-up the equipment and transport it to the warranty service location. At the successful bidder's discretion, the equipment may be transported (not towed) to a location within Franklin or contiguous counties. For a warranty service location outside of a contiguous county, the equipment must be transported (not towed).

6.3 Literature:

- 6.3.1 To aid in the evaluation of bids, all bidders are to furnish with this bid current published literature and Dealer's specifications that best explains the unit offered, model and identification of the options that meet or exceed the specifications. Published literature shall include pictures and complete descriptive matter.
- 6.3.2 Bidders shall submit a copy of dealer's build sheets with bid.

6.4 **Manuals**:

- 6.4.1 The successful bidder shall supply two (2) copies of all parts lists, service, maintenance, and operation manuals upon delivery of the equipment to the City of Columbus. The City of Columbus would prefer that all parts and service manuals be supplied on flash drives or electronically.
- 6.5 **Bidder and Manufacturer Cooperation:** The City of Columbus shall not be responsible for communication between manufacturer(s) and bidder(s). It is expected and understood that the successful bidder(s) and manufacturer(s) will cooperate and exchange information to facilitate a smooth production process.
- 6.6 **Correspondences:** During the bidding and evaluation process Offerors are strictly prohibited from communicating with any City employees or officers regarding the solicitation. Any communication from the vendor to the City should be limited to only the contact(s) listed in the RFQ and/or below. A violation of this section on the part of the Offeror may lead to disqualification.

All correspondences regarding this bid should be sent via email to JFaber1@columbus.gov, or:

City of Columbus Purchasing Office 77 N. Front Street, 5th Floor Columbus, OH 43215 ATTN: Joey Faber

<u>REFERENCES</u>

The bidder must briefly document its capabilities and submit an outline of its experience and work history in Vehicle Upfitting and warranty service for the past five years by submitting the contact information of References from four (4) separate equipment sales. References should consist of projects of a similar scope, complexity, and cost.

Business Name:	Tel #: <u>(</u>
Address:	
E-mail:	Fax #: (<u>)</u>
Contact:	Equipment purchase date:
Equipment Provided/ Warranty Se	ervice Performed:
Business Name:	Tel #: (<u>)</u>
Address:	
E-mail:	Fax #: (<u>)</u>
Contact:	Equipment purchase date:
Equipment Provided/ Warranty Se	ervice Performed:

REFERENCES (CONTINUED)

Business Name:	Tel #: ()
Address:	
	Fax #: (<u>)</u>
Contact:	Equipment purchase date:
Equipment Provided/ Warranty S	Service Performed:
Business Name:	Tel #: ()
Address:	
E-mail:	Fax #: (<u>)</u>
Contact:	Equipment purchase date:
Equipment Provided/ Warranty S	Service Performed:

SUBCONTRACTOR'S INFORMATION (IF APPLICABLE)

Business Name:	Tel #: <u>(</u>	
Address:		
	Fax #: (<u>)</u>	
Contact:	Equipment purchase date:	
Equipment Provided/ Warranty S	Service Performed:	
Business Name:	Tel #: ()	
Address:		
E-mail:	Fax #: (<u>)</u>	
Contact:	Equipment purchase date:	
Equipment Provided/ Warranty S	Service Performed:	